

§ 1.1415

the prescribed period does not extend beyond 360 days after the filing of such complaint.

[43 FR 36094, Aug. 15, 1978, as amended at 44 FR 31650, June 1, 1979; 50 FR 18659, May 5, 1985]

§ 1.1415 Other orders.

The Commission may issue such other orders and so conduct its proceedings as will best conduce to the proper dispatch of business and the ends of justice.

§ 1.1416 Imputation of rates; modification costs.

(a) A utility that engages in the provision of telecommunications services or cable services shall impute to its costs of providing such services (and charge any affiliate, subsidiary, or associate company engaged in the provision of such services) an equal amount to the pole attachment rate for which such company would be liable under this section.

(b) The costs of modifying a facility shall be borne by all parties that obtain access to the facility as a result of the modification and by all parties that directly benefit from the modification. Each party described in the preceding sentence shall share proportionately in the cost of the modification. A party with a preexisting attachment to the modified facility shall be deemed to directly benefit from a modification if, after receiving notification of such modification as provided in subpart J of this part, it adds to or modifies its attachment. Notwithstanding the foregoing, a party with a preexisting attachment to a pole, conduit, duct or right-of-way shall not be required to bear any of the costs of rearranging or replacing its attachment if such rearrangement or replacement is necessitated solely as a result of an additional attachment or the modification of an existing attachment sought by another party. If a party makes an attachment to the facility after the completion of the modification, such party shall share proportionately in the cost of the modification if such modification rendered possible the added attachment.

[61 FR 43025, Aug. 20, 1996; 61 FR 45619, Aug. 29, 1996]

47 CFR Ch. I (10–1–02 Edition)

§ 1.1417 Allocation of Unusable Space Costs.

(a) With respect to the formula referenced in § 1.1409(e)(2), a utility shall apportion the cost of providing unusable space on a pole so that such apportionment equals two-thirds of the costs of providing unusable space that would be allocated to such entity under an equal apportionment of such costs among all attaching entities.

(b) All attaching entities attached to the pole shall be counted for purposes of apportioning the cost of unusable space.

(c) Utilities may use the following rebuttable presumptive averages when calculating the number of attaching entities with respect to the formula referenced in § 1.1409(e)(2). For non-urbanized service areas (under 50,000 population), a presumptive average number of attaching entities of three (3). For urbanized service areas (50,000 or higher population), a presumptive average number of attaching entities of five (5). If any part of the utility's service area within the state has a designation of urbanized (50,000 or higher population) by the Bureau of Census, United States Department of Commerce, then all of that service area shall be designated as urbanized for purposes of determining the presumptive average number of attaching entities.

(d) A utility may establish its own presumptive average number of attaching entities for its urbanized and non-urbanized service area as follows:

(1) Each utility shall, upon request, provide all attaching entities and all entities seeking access the methodology and information upon which the utilities presumptive average number of attachers is based.

(2) Each utility is required to exercise good faith in establishing and updating its presumptive average number of attachers.

(3) The presumptive average number of attachers may be challenged by an attaching entity by submitting information demonstrating why the utility's presumptive average is incorrect. The attaching entity should also submit what it believes should be the presumptive average and the methodology used. Where a complete inspection is